



United States  
Department of  
Agriculture

**NRCS**

Natural  
Resources  
Conservation  
Service

A product of the National  
Cooperative Soil Survey,  
a joint effort of the United  
States Department of  
Agriculture and other  
Federal agencies, State  
agencies including the  
Agricultural Experiment  
Stations, and local  
participants

# Custom Soil Resource Report for **Morrill County, Nebraska**



# Preface

---

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<https://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist ([http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2\\_053951](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951)).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

# Contents

---

<b>Preface</b> .....	2
<b>Soil Map</b> .....	5
Soil Map (McIntosh Farm).....	6
Legend.....	7
Map Unit Legend (McIntosh Farm).....	8
Map Unit Descriptions (McIntosh Farm).....	8
Morrill County, Nebraska.....	11
1708—Otero variant very fine sandy loam, 0 to 1 percent slopes.....	11
1709—Otero very fine sandy loam, 0 to 3 percent slopes.....	12
1710—Otero very fine sandy loam, 3 to 6 percent slopes.....	13
1711—Otero very fine sandy loam, 6 to 9 percent slopes.....	14
5671—Yockey silt loam, occasionally flooded.....	15
5843—Mitchell very fine sandy loam, 0 to 1 percent slopes.....	16
5844—Mitchell very fine sandy loam, 1 to 3 percent slopes.....	17
5845—Mitchell very fine sandy loam, 3 to 6 percent slopes.....	18
5846—Mitchell very fine sandy loam, 6 to 9 percent slopes.....	19
6010—Sarben very fine sandy loam, 1 to 3 percent slopes.....	20
6011—Sarben very fine sandy loam, 3 to 9 percent slopes.....	22
6107—Sarben loamy very fine sand, 9 to 20 percent slopes.....	23
6312—Barney loam, frequently flooded.....	24

# Soil Map


---

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.

# Custom Soil Resource Report Soil Map (McIntosh Farm)



Map Scale: 1:10,500 if printed on A landscape (11" x 8.5") sheet.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 13N WGS84

### MAP LEGEND

**Area of Interest (AOI)**

 Area of Interest (AOI)

**Soils**

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

**Special Point Features**

-  Blowout
-  Borrow Pit
-  Clay Spot
-  Closed Depression
-  Gravel Pit
-  Gravelly Spot
-  Landfill
-  Lava Flow
-  Marsh or swamp
-  Mine or Quarry
-  Miscellaneous Water
-  Perennial Water
-  Rock Outcrop
-  Saline Spot
-  Sandy Spot
-  Severely Eroded Spot
-  Sinkhole
-  Slide or Slip
-  Sodic Spot

-  Spoil Area
-  Stony Spot
-  Very Stony Spot
-  Wet Spot
-  Other
-  Special Line Features

**Water Features**

 Streams and Canals

**Transportation**

-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads

**Background**

 Aerial Photography

### MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service  
 Web Soil Survey URL:  
 Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Morrill County, Nebraska  
 Survey Area Data: Version 18, Sep 13, 2018

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Sep 12, 2015—Oct 12, 2016

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

## Map Unit Legend (McIntosh Farm)

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
1708	Otero variant very fine sandy loam, 0 to 1 percent slopes	4.3	1.5%
1709	Otero very fine sandy loam, 0 to 3 percent slopes	2.3	0.8%
1710	Otero very fine sandy loam, 3 to 6 percent slopes	1.4	0.5%
1711	Otero very fine sandy loam, 6 to 9 percent slopes	1.0	0.3%
5671	Yockey silt loam, occasionally flooded	5.5	1.9%
5843	Mitchell very fine sandy loam, 0 to 1 percent slopes	11.4	3.9%
5844	Mitchell very fine sandy loam, 1 to 3 percent slopes	81.6	27.9%
5845	Mitchell very fine sandy loam, 3 to 6 percent slopes	69.5	23.7%
5846	Mitchell very fine sandy loam, 6 to 9 percent slopes	5.2	1.8%
6010	Sarben very fine sandy loam, 1 to 3 percent slopes	24.3	8.3%
6011	Sarben very fine sandy loam, 3 to 9 percent slopes	73.4	25.1%
6107	Sarben loamy very fine sand, 9 to 20 percent slopes	7.8	2.7%
6312	Barney loam, frequently flooded	5.0	1.7%
<b>Totals for Area of Interest</b>		<b>292.7</b>	<b>100.0%</b>

## Map Unit Descriptions (McIntosh Farm)

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made

## Custom Soil Resource Report

up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

## Custom Soil Resource Report

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

## Morrill County, Nebraska

### 1708—Otero variant very fine sandy loam, 0 to 1 percent slopes

#### Map Unit Setting

*National map unit symbol:* 1ttbl  
*Elevation:* 3,500 to 4,500 feet  
*Mean annual precipitation:* 16 to 28 inches  
*Mean annual air temperature:* 46 to 55 degrees F  
*Frost-free period:* 125 to 170 days  
*Farmland classification:* Prime farmland if irrigated

#### Map Unit Composition

*Otero variant and similar soils:* 99 percent  
*Minor components:* 1 percent  
*Estimates are based on observations, descriptions, and transects of the mapunit.*

#### Description of Otero Variant

##### Setting

*Landform:* Alluvial fans  
*Down-slope shape:* Linear  
*Across-slope shape:* Linear  
*Parent material:* Colluvium and/or alluvium

##### Typical profile

*A - 0 to 10 inches:* very fine sandy loam  
*C - 10 to 60 inches:* very fine sandy loam

##### Properties and qualities

*Slope:* 0 to 2 percent  
*Depth to restrictive feature:* More than 80 inches  
*Natural drainage class:* Somewhat poorly drained  
*Runoff class:* Negligible  
*Capacity of the most limiting layer to transmit water (Ksat):* High (2.00 to 6.00 in/hr)  
*Depth to water table:* About 18 to 42 inches  
*Frequency of flooding:* None  
*Frequency of ponding:* None  
*Calcium carbonate, maximum in profile:* 10 percent  
*Salinity, maximum in profile:* Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)  
*Available water storage in profile:* High (about 12.0 inches)

##### Interpretive groups

*Land capability classification (irrigated):* 3w  
*Land capability classification (nonirrigated):* 3w  
*Hydrologic Soil Group:* B  
*Ecological site:* Subirrigated (Sb) 12-17" Precipitation Zone (R067AY174WY)  
*Other vegetative classification:* Sandy - Veg. zone 1 (067XY011NE\_1)  
*Hydric soil rating:* No

#### Minor Components

##### Perched wt

*Percent of map unit:* 1 percent

## Custom Soil Resource Report

*Landform:* Swales  
*Down-slope shape:* Concave  
*Across-slope shape:* Linear  
*Ecological site:* Wetland (WL) 12-17" Precipitation Zone (R067AY178WY)  
*Hydric soil rating:* Yes

### 1709—Otero very fine sandy loam, 0 to 3 percent slopes

#### Map Unit Setting

*National map unit symbol:* 1ttbh  
*Elevation:* 3,500 to 4,500 feet  
*Mean annual precipitation:* 16 to 28 inches  
*Mean annual air temperature:* 46 to 55 degrees F  
*Frost-free period:* 125 to 170 days  
*Farmland classification:* Prime farmland if irrigated

#### Map Unit Composition

*Otero and similar soils:* 99 percent  
*Minor components:* 1 percent  
*Estimates are based on observations, descriptions, and transects of the mapunit.*

#### Description of Otero

##### Setting

*Landform:* Hillslopes  
*Down-slope shape:* Convex, concave  
*Across-slope shape:* Linear  
*Parent material:* Alluvium

##### Typical profile

*A - 0 to 8 inches:* very fine sandy loam  
*C - 8 to 60 inches:* very fine sandy loam

##### Properties and qualities

*Slope:* 1 to 3 percent  
*Depth to restrictive feature:* More than 80 inches  
*Natural drainage class:* Well drained  
*Runoff class:* Very low  
*Capacity of the most limiting layer to transmit water (Ksat):* High (2.00 to 6.00 in/hr)  
*Depth to water table:* More than 80 inches  
*Frequency of flooding:* None  
*Frequency of ponding:* None  
*Calcium carbonate, maximum in profile:* 10 percent  
*Salinity, maximum in profile:* Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)  
*Available water storage in profile:* High (about 9.9 inches)

##### Interpretive groups

*Land capability classification (irrigated):* 2e  
*Land capability classification (nonirrigated):* 3e

## Custom Soil Resource Report

*Hydrologic Soil Group:* A

*Ecological site:* Sandy (Sy) 12-17" PZ (R067AY150WY)

*Other vegetative classification:* Sandy - Veg. zone 1 (067XY011NE\_1)

*Hydric soil rating:* No

### Minor Components

#### Perched wt

*Percent of map unit:* 1 percent

*Landform:* Swales

*Down-slope shape:* Concave

*Across-slope shape:* Linear

*Ecological site:* Wetland (WL) 12-17" Precipitation Zone (R067AY178WY)

*Hydric soil rating:* Yes

## 1710—Otero very fine sandy loam, 3 to 6 percent slopes

### Map Unit Setting

*National map unit symbol:* 1ttbj

*Elevation:* 3,500 to 4,500 feet

*Mean annual precipitation:* 16 to 18 inches

*Mean annual air temperature:* 46 to 50 degrees F

*Frost-free period:* 125 to 145 days

*Farmland classification:* Prime farmland if irrigated

### Map Unit Composition

*Otero and similar soils:* 100 percent

*Estimates are based on observations, descriptions, and transects of the mapunit.*

### Description of Otero

#### Setting

*Landform:* Alluvial fans

*Down-slope shape:* Linear

*Across-slope shape:* Linear

*Parent material:* Alluvium

#### Typical profile

*A - 0 to 9 inches:* very fine sandy loam

*C - 9 to 60 inches:* very fine sandy loam

#### Properties and qualities

*Slope:* 3 to 6 percent

*Depth to restrictive feature:* More than 80 inches

*Natural drainage class:* Well drained

*Runoff class:* Very low

*Capacity of the most limiting layer to transmit water (Ksat):* High (2.00 to 6.00 in/hr)

*Depth to water table:* More than 80 inches

*Frequency of flooding:* None

*Frequency of ponding:* None

## Custom Soil Resource Report

*Calcium carbonate, maximum in profile:* 10 percent  
*Salinity, maximum in profile:* Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)  
*Available water storage in profile:* High (about 9.9 inches)

### Interpretive groups

*Land capability classification (irrigated):* 3e  
*Land capability classification (nonirrigated):* 4e  
*Hydrologic Soil Group:* A  
*Ecological site:* Sandy (Sy) 12-17" PZ (R067AY150WY)  
*Other vegetative classification:* Sandy - Veg. zone 1 (067XY011NE\_1)  
*Hydric soil rating:* No

## 1711—Otero very fine sandy loam, 6 to 9 percent slopes

### Map Unit Setting

*National map unit symbol:* 1ttbk  
*Elevation:* 3,500 to 4,500 feet  
*Mean annual precipitation:* 16 to 18 inches  
*Mean annual air temperature:* 46 to 50 degrees F  
*Frost-free period:* 125 to 145 days  
*Farmland classification:* Not prime farmland

### Map Unit Composition

*Otero and similar soils:* 100 percent  
*Estimates are based on observations, descriptions, and transects of the mapunit.*

### Description of Otero

#### Setting

*Landform:* Hillslopes  
*Down-slope shape:* Convex, concave  
*Across-slope shape:* Linear  
*Parent material:* Alluvium

#### Typical profile

*A - 0 to 9 inches:* very fine sandy loam  
*C - 9 to 60 inches:* very fine sandy loam

#### Properties and qualities

*Slope:* 6 to 9 percent  
*Depth to restrictive feature:* More than 80 inches  
*Natural drainage class:* Well drained  
*Runoff class:* Low  
*Capacity of the most limiting layer to transmit water (Ksat):* High (2.00 to 6.00 in/hr)  
*Depth to water table:* More than 80 inches  
*Frequency of flooding:* None  
*Frequency of ponding:* None  
*Calcium carbonate, maximum in profile:* 10 percent  
*Salinity, maximum in profile:* Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

## Custom Soil Resource Report

*Available water storage in profile:* High (about 9.9 inches)

### **Interpretive groups**

*Land capability classification (irrigated):* 4e

*Land capability classification (nonirrigated):* 4e

*Hydrologic Soil Group:* A

*Ecological site:* Sandy (Sy) 12-17" PZ (R067AY150WY)

*Other vegetative classification:* Sandy - Veg. zone 1 (067XY011NE\_1)

*Hydric soil rating:* No

## **5671—Yockey silt loam, occasionally flooded**

### **Map Unit Setting**

*National map unit symbol:* 1ttck

*Elevation:* 3,200 to 5,500 feet

*Mean annual precipitation:* 16 to 18 inches

*Mean annual air temperature:* 46 to 50 degrees F

*Frost-free period:* 125 to 145 days

*Farmland classification:* Not prime farmland

### **Map Unit Composition**

*Yockey and similar soils:* 99 percent

*Minor components:* 1 percent

*Estimates are based on observations, descriptions, and transects of the mapunit.*

### **Description of Yockey**

#### **Setting**

*Landform:* Flood plains

*Down-slope shape:* Linear

*Across-slope shape:* Linear

*Parent material:* Stratified calcareous alluvium

#### **Typical profile**

*A - 0 to 8 inches:* silt loam

*C - 8 to 60 inches:* silt loam, loam, very fine sandy loam

*C - 8 to 60 inches:*

*C - 8 to 60 inches:*

#### **Properties and qualities**

*Slope:* 0 to 1 percent

*Depth to restrictive feature:* More than 80 inches

*Natural drainage class:* Somewhat poorly drained

*Runoff class:* Negligible

*Capacity of the most limiting layer to transmit water (Ksat):* Moderately high to high (0.60 to 2.00 in/hr)

*Depth to water table:* About 18 to 36 inches

*Frequency of flooding:* Occasional

*Frequency of ponding:* None

*Calcium carbonate, maximum in profile:* 15 percent

*Salinity, maximum in profile:* Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

## Custom Soil Resource Report

*Sodium adsorption ratio, maximum in profile:* 9.0  
*Available water storage in profile:* Very high (about 29.8 inches)

### Interpretive groups

*Land capability classification (irrigated):* 2w  
*Land capability classification (nonirrigated):* 2w  
*Hydrologic Soil Group:* C  
*Ecological site:* Subirrigated (Sb) 12-17" Precipitation Zone (R067AY174WY)  
*Hydric soil rating:* No

### Minor Components

#### Wt at 0-1 foot

*Percent of map unit:* 1 percent  
*Landform:* Swales  
*Down-slope shape:* Concave  
*Across-slope shape:* Linear  
*Hydric soil rating:* Yes

## 5843—Mitchell very fine sandy loam, 0 to 1 percent slopes

### Map Unit Setting

*National map unit symbol:* 1ttb5  
*Elevation:* 3,500 to 4,500 feet  
*Mean annual precipitation:* 16 to 28 inches  
*Mean annual air temperature:* 46 to 55 degrees F  
*Frost-free period:* 125 to 170 days  
*Farmland classification:* Prime farmland if irrigated

### Map Unit Composition

*Mitchell and similar soils:* 99 percent  
*Minor components:* 1 percent  
*Estimates are based on observations, descriptions, and transects of the mapunit.*

### Description of Mitchell

#### Setting

*Landform:* Alluvial fans  
*Down-slope shape:* Linear  
*Across-slope shape:* Linear  
*Parent material:* Loamy alluvium derived from siltstone

#### Typical profile

*A - 0 to 9 inches:* very fine sandy loam  
*C - 9 to 60 inches:* very fine sandy loam

#### Properties and qualities

*Slope:* 0 to 1 percent  
*Depth to restrictive feature:* More than 80 inches  
*Natural drainage class:* Well drained  
*Runoff class:* Negligible

## Custom Soil Resource Report

*Capacity of the most limiting layer to transmit water (Ksat):* Moderately high to high (0.60 to 2.00 in/hr)

*Depth to water table:* More than 80 inches

*Frequency of flooding:* None

*Frequency of ponding:* None

*Calcium carbonate, maximum in profile:* 15 percent

*Available water storage in profile:* High (about 11.3 inches)

### Interpretive groups

*Land capability classification (irrigated):* 2e

*Land capability classification (nonirrigated):* 3c

*Hydrologic Soil Group:* B

*Ecological site:* Limy Upland (Liu) 12-17" PZ (R067AY120WY)

*Hydric soil rating:* No

### Minor Components

#### Perched wt

*Percent of map unit:* 1 percent

*Landform:* Swales

*Down-slope shape:* Concave

*Across-slope shape:* Linear

*Hydric soil rating:* Yes

## 5844—Mitchell very fine sandy loam, 1 to 3 percent slopes

### Map Unit Setting

*National map unit symbol:* 1ttb6

*Elevation:* 3,500 to 4,500 feet

*Mean annual precipitation:* 16 to 28 inches

*Mean annual air temperature:* 46 to 55 degrees F

*Frost-free period:* 125 to 170 days

*Farmland classification:* Prime farmland if irrigated

### Map Unit Composition

*Mitchell and similar soils:* 99 percent

*Minor components:* 1 percent

*Estimates are based on observations, descriptions, and transects of the mapunit.*

### Description of Mitchell

#### Setting

*Landform:* Alluvial fans

*Down-slope shape:* Linear

*Across-slope shape:* Linear

*Parent material:* Loamy alluvium derived from siltstone

#### Typical profile

*A - 0 to 9 inches:* very fine sandy loam

*C - 9 to 60 inches:* very fine sandy loam

## Custom Soil Resource Report

### Properties and qualities

*Slope:* 1 to 3 percent  
*Depth to restrictive feature:* More than 80 inches  
*Natural drainage class:* Well drained  
*Runoff class:* Low  
*Capacity of the most limiting layer to transmit water (Ksat):* Moderately high to high (0.60 to 2.00 in/hr)  
*Depth to water table:* More than 80 inches  
*Frequency of flooding:* None  
*Frequency of ponding:* None  
*Calcium carbonate, maximum in profile:* 15 percent  
*Available water storage in profile:* High (about 11.3 inches)

### Interpretive groups

*Land capability classification (irrigated):* 2e  
*Land capability classification (nonirrigated):* 3e  
*Hydrologic Soil Group:* B  
*Ecological site:* Limy Upland (Liu) 12-17" PZ (R067AY120WY)  
*Hydric soil rating:* No

### Minor Components

#### Perched wt

*Percent of map unit:* 1 percent  
*Landform:* Swales  
*Down-slope shape:* Concave  
*Across-slope shape:* Linear  
*Hydric soil rating:* Yes

## 5845—Mitchell very fine sandy loam, 3 to 6 percent slopes

### Map Unit Setting

*National map unit symbol:* 1ttb7  
*Elevation:* 3,500 to 4,500 feet  
*Mean annual precipitation:* 16 to 28 inches  
*Mean annual air temperature:* 46 to 55 degrees F  
*Frost-free period:* 125 to 170 days  
*Farmland classification:* Prime farmland if irrigated

### Map Unit Composition

*Mitchell and similar soils:* 99 percent  
*Minor components:* 1 percent  
*Estimates are based on observations, descriptions, and transects of the mapunit.*

### Description of Mitchell

#### Setting

*Landform:* Alluvial fans  
*Down-slope shape:* Linear  
*Across-slope shape:* Linear

## Custom Soil Resource Report

*Parent material:* Loamy alluvium derived from siltstone

### Typical profile

*A - 0 to 9 inches:* very fine sandy loam

*C - 9 to 60 inches:* silt loam

### Properties and qualities

*Slope:* 3 to 6 percent

*Depth to restrictive feature:* More than 80 inches

*Natural drainage class:* Well drained

*Runoff class:* Low

*Capacity of the most limiting layer to transmit water (Ksat):* Moderately high to high (0.60 to 2.00 in/hr)

*Depth to water table:* More than 80 inches

*Frequency of flooding:* None

*Frequency of ponding:* None

*Calcium carbonate, maximum in profile:* 15 percent

*Available water storage in profile:* High (about 11.3 inches)

### Interpretive groups

*Land capability classification (irrigated):* 3e

*Land capability classification (nonirrigated):* 3e

*Hydrologic Soil Group:* B

*Ecological site:* Limy Upland (Liu) 12-17" PZ (R067AY120WY)

*Hydric soil rating:* No

### Minor Components

#### Perched wt

*Percent of map unit:* 1 percent

*Landform:* Swales

*Down-slope shape:* Concave

*Across-slope shape:* Linear

*Hydric soil rating:* Yes

## 5846—Mitchell very fine sandy loam, 6 to 9 percent slopes

### Map Unit Setting

*National map unit symbol:* 1ttb8

*Elevation:* 3,500 to 4,500 feet

*Mean annual precipitation:* 16 to 28 inches

*Mean annual air temperature:* 46 to 55 degrees F

*Frost-free period:* 125 to 170 days

*Farmland classification:* Not prime farmland

### Map Unit Composition

*Mitchell and similar soils:* 99 percent

*Minor components:* 1 percent

*Estimates are based on observations, descriptions, and transects of the mapunit.*

## Description of Mitchell

### Setting

*Landform:* Hillslopes  
*Down-slope shape:* Convex, concave  
*Across-slope shape:* Linear  
*Parent material:* Loamy alluvium derived from siltstone

### Typical profile

*A - 0 to 9 inches:* very fine sandy loam  
*C - 9 to 60 inches:* silt loam

### Properties and qualities

*Slope:* 6 to 9 percent  
*Depth to restrictive feature:* More than 80 inches  
*Natural drainage class:* Well drained  
*Runoff class:* Medium  
*Capacity of the most limiting layer to transmit water (Ksat):* Moderately high to high (0.60 to 2.00 in/hr)  
*Depth to water table:* More than 80 inches  
*Frequency of flooding:* None  
*Frequency of ponding:* None  
*Calcium carbonate, maximum in profile:* 15 percent  
*Available water storage in profile:* High (about 11.3 inches)

### Interpretive groups

*Land capability classification (irrigated):* 4e  
*Land capability classification (nonirrigated):* 4e  
*Hydrologic Soil Group:* B  
*Ecological site:* Limy Upland (Liu) 12-17" PZ (R067AY120WY)  
*Hydric soil rating:* No

## Minor Components

### Perched wt

*Percent of map unit:* 1 percent  
*Landform:* Swales  
*Down-slope shape:* Concave  
*Across-slope shape:* Linear  
*Hydric soil rating:* Yes

## 6010—Sarben very fine sandy loam, 1 to 3 percent slopes

### Map Unit Setting

*National map unit symbol:* 1ttbs  
*Elevation:* 3,500 to 4,500 feet  
*Mean annual precipitation:* 16 to 28 inches  
*Mean annual air temperature:* 46 to 55 degrees F  
*Frost-free period:* 125 to 170 days  
*Farmland classification:* Farmland of statewide importance

## Custom Soil Resource Report

### Map Unit Composition

*Sarben and similar soils:* 99 percent

*Minor components:* 1 percent

*Estimates are based on observations, descriptions, and transects of the mapunit.*

### Description of Sarben

#### Setting

*Landform:* Stream terraces

*Landform position (three-dimensional):* Tread

*Down-slope shape:* Linear

*Across-slope shape:* Linear

*Parent material:* Sandy and loamy eolian deposits

#### Typical profile

*A - 0 to 5 inches:* very fine sandy loam

*AC - 5 to 22 inches:* loamy very fine sand

*C - 22 to 60 inches:* loamy very fine sand

#### Properties and qualities

*Slope:* 1 to 3 percent

*Depth to restrictive feature:* More than 80 inches

*Natural drainage class:* Well drained

*Runoff class:* Very low

*Capacity of the most limiting layer to transmit water (Ksat):* High (2.00 to 6.00 in/hr)

*Depth to water table:* More than 80 inches

*Frequency of flooding:* None

*Frequency of ponding:* None

*Calcium carbonate, maximum in profile:* 5 percent

*Available water storage in profile:* Moderate (about 8.8 inches)

#### Interpretive groups

*Land capability classification (irrigated):* 2e

*Land capability classification (nonirrigated):* 3e

*Hydrologic Soil Group:* A

*Ecological site:* Sandy (Sy) 12-17" PZ (R067AY150WY)

*Forage suitability group:* Not Suited (G067AY000NE)

*Other vegetative classification:* Sandy - Veg. zone 1 (067XY011NE\_1)

*Hydric soil rating:* No

### Minor Components

#### Perched wt

*Percent of map unit:* 1 percent

*Landform:* Swales

*Down-slope shape:* Concave

*Across-slope shape:* Linear

*Hydric soil rating:* Yes

## 6011—Sarben very fine sandy loam, 3 to 9 percent slopes

### Map Unit Setting

*National map unit symbol:* 1ttbt  
*Elevation:* 3,500 to 4,500 feet  
*Mean annual precipitation:* 16 to 28 inches  
*Mean annual air temperature:* 46 to 55 degrees F  
*Frost-free period:* 125 to 170 days  
*Farmland classification:* Not prime farmland

### Map Unit Composition

*Sarben and similar soils:* 99 percent  
*Minor components:* 1 percent  
*Estimates are based on observations, descriptions, and transects of the mapunit.*

### Description of Sarben

#### Setting

*Landform:* Hillslopes  
*Down-slope shape:* Convex, concave  
*Across-slope shape:* Linear  
*Parent material:* Sandy and loamy eolian deposits

#### Typical profile

*A - 0 to 4 inches:* very fine sandy loam  
*AC - 4 to 16 inches:* loamy very fine sand  
*C - 16 to 60 inches:* loamy very fine sand

#### Properties and qualities

*Slope:* 6 to 9 percent  
*Depth to restrictive feature:* More than 80 inches  
*Natural drainage class:* Well drained  
*Runoff class:* Low  
*Capacity of the most limiting layer to transmit water (Ksat):* High (2.00 to 6.00 in/hr)  
*Depth to water table:* More than 80 inches  
*Frequency of flooding:* None  
*Frequency of ponding:* None  
*Calcium carbonate, maximum in profile:* 5 percent  
*Available water storage in profile:* Moderate (about 8.7 inches)

#### Interpretive groups

*Land capability classification (irrigated):* 4e  
*Land capability classification (nonirrigated):* 4e  
*Hydrologic Soil Group:* A  
*Ecological site:* Sandy (Sy) 12-17" PZ (R067AY150WY)  
*Other vegetative classification:* Sandy - Veg. zone 1 (067XY011NE\_1)  
*Hydric soil rating:* No

**Minor Components**

**Perched wt**

*Percent of map unit:* 1 percent  
*Landform:* Swales  
*Down-slope shape:* Concave  
*Across-slope shape:* Linear  
*Hydric soil rating:* Yes

**6107—Sarben loamy very fine sand, 9 to 20 percent slopes**

**Map Unit Setting**

*National map unit symbol:* 1ttbr  
*Elevation:* 3,500 to 4,500 feet  
*Mean annual precipitation:* 16 to 18 inches  
*Mean annual air temperature:* 46 to 50 degrees F  
*Frost-free period:* 125 to 145 days  
*Farmland classification:* Not prime farmland

**Map Unit Composition**

*Sarben and similar soils:* 100 percent  
*Estimates are based on observations, descriptions, and transects of the mapunit.*

**Description of Sarben**

**Setting**

*Landform:* Hillslopes  
*Down-slope shape:* Convex, concave  
*Across-slope shape:* Linear  
*Parent material:* Sandy and loamy eolian deposits

**Typical profile**

*A - 0 to 6 inches:* loamy very fine sand  
*AC - 6 to 23 inches:* loamy very fine sand  
*C - 23 to 60 inches:* very fine sandy loam

**Properties and qualities**

*Slope:* 9 to 17 percent  
*Depth to restrictive feature:* More than 80 inches  
*Natural drainage class:* Well drained  
*Runoff class:* Low  
*Capacity of the most limiting layer to transmit water (Ksat):* High (2.00 to 6.00 in/hr)  
*Depth to water table:* More than 80 inches  
*Frequency of flooding:* None  
*Frequency of ponding:* None  
*Calcium carbonate, maximum in profile:* 5 percent  
*Available water storage in profile:* Moderate (about 8.4 inches)

**Interpretive groups**

*Land capability classification (irrigated):* None specified  
*Land capability classification (nonirrigated):* 6e  
*Hydrologic Soil Group:* A  
*Ecological site:* Sandy (Sy) 12-17" PZ (R067AY150WY)  
*Other vegetative classification:* Sandy - Veg. zone 1 (067XY011NE\_1)  
*Hydric soil rating:* No

**6312—Barney loam, frequently flooded**

**Map Unit Setting**

*National map unit symbol:* 1tt8d  
*Elevation:* 3,500 to 4,500 feet  
*Mean annual precipitation:* 16 to 18 inches  
*Mean annual air temperature:* 46 to 50 degrees F  
*Frost-free period:* 125 to 145 days  
*Farmland classification:* Not prime farmland

**Map Unit Composition**

*Barney and similar soils:* 100 percent  
*Estimates are based on observations, descriptions, and transects of the mapunit.*

**Description of Barney**

**Setting**

*Landform:* Flood plains  
*Down-slope shape:* Linear  
*Across-slope shape:* Linear  
*Parent material:* Loamy alluvium over sandy and gravelly alluvium

**Typical profile**

*A - 0 to 7 inches:* loam  
*C - 7 to 60 inches:* gravelly coarse sand

**Properties and qualities**

*Slope:* 0 to 1 percent  
*Depth to restrictive feature:* More than 80 inches  
*Natural drainage class:* Very poorly drained  
*Runoff class:* Negligible  
*Capacity of the most limiting layer to transmit water (Ksat):* Moderately high to high (0.60 to 2.00 in/hr)  
*Depth to water table:* About 0 to 12 inches  
*Frequency of flooding:* Frequent  
*Frequency of ponding:* None  
*Calcium carbonate, maximum in profile:* 5 percent  
*Available water storage in profile:* Low (about 3.6 inches)

**Interpretive groups**

*Land capability classification (irrigated):* None specified  
*Land capability classification (nonirrigated):* 5w  
*Hydrologic Soil Group:* B/D  
*Ecological site:* Wetland (WL) 12-17" Precipitation Zone (R067AY178WY)

Custom Soil Resource Report

*Hydric soil rating:* Yes